

# ფასები

ფასები მოქმედებს 23 იანვრიდან 2023




[www.variotherm.com](http://www.variotherm.com)

VARIOTHERM


# Table of Contents

## WALL HEATING/COOLING SYSTEMS FOR DRY CONSTRUCTION




ModularWall-Classic 4-5

## PLASTERED WALL HEATING/COOLING CEILING COOLING/HEATING




EasyFlexWall 6-7  
EasyFlexCeiling 8-9  
SystemWall 10-11

## CEILING COOLING/HEATING SYSTEM FOR DRY CONSTRUCTION




ModularCeiling-Classic 12-13  
ModularCeiling-Acoustic 14-15

## FLOOR HEATING FOR DRY CONSTRUCTION




ModularFloor - VarioComp 16-17

## FLOOR HEATING FOR SCREED FLOORS




VarioClip 18-19  
VarioRast 20-21  
VarioFix 22-23  
VarioRoll 24-25

## INDUSTRIAL FLOOR HEATING SYSTEM




VarioSolid 26-27

## SKIRTING HEATING SYSTEM




Classic skirting heating 28-29  
Delta skirting heating 30-31

## TRENCH HEATING SYSTEM



BKH1 mini 32-33  
BKH1  
BKH2 mini  
BKH2

## DISTRIBUTION and CONTROL/ Accessories and tools



Distribution and Control 34-41  
Accessories, Tools 42-45




## Mini Classic skirting heating system

Calculation price for 1 m

Consisting of:

- Mini heating element 35 x 78 mm
- Mini Classic bracket set (bracket spacing 600-800 mm)




Part No.	Heating element	Weight	€/m
HLMINICLASSIC	Copper pipe	0.8 kg/m	59.50

## Ia Classic skirting heating system

Calculation price for 1 m

Consisting of:

- Heating element 56 x 78 mm
- Ia Classic bracket set (bracket spacing 600-800 mm)




Part No.	Heating element	Weight	€/m
HL1ACLASSIC	Copper pipe	1.1 kg/m	66.50

## Ila Classic skirting heating system

Calculation price for 1 m

Consisting of:

- Heating element 56 x 78 mm
- Ila Classic bracket set (bracket spacing 600-800 mm)




Part No.	Heating element	Weight	€/m
HL2ACLASSIC	Copper pipe	1.2 kg/m	68.00

## Illa Classic skirting heating system


Calculation price for 1 m

Consisting of:

- 2x Heating elements 56 x 78 mm
- Illa Classic bracket set (bracket spacing 600-800 mm)




Part No.	Heating element	Weight	€/m
HL3ACLASSIC	Copper pipe	2.1 kg/m	122.00



## Mini heating element 35 x 78 mm

PG 060

- Copper pipe  $\varnothing 18 \times 0.5$  mm, with aluminium louvres 35 x 78 mm
- Suitable for low temperature
- Optimised heat transfer
- Austrian seal of quality




Part No.	Pipe material	PKU	Weight/PKU	€/m
HLm18-01	Copper	Carton with 1 x 2500 mm	2.2 kg	47.30
HLm18-06	Copper	Carton with 6 x 2500 mm	11.0 kg	47.30

## Heating element 56 x 78 mm

PG 060

- Copper pipe  $\varnothing 18 \times 0.5$  mm, with aluminium louvres 56 x 78 mm
- Suitable for low temperature
- Optimised heat transfer
- Austrian seal of quality




Part No.	Pipe material	PKU	Weight/PKU	€/m
HL18-01	Copper	Carton with 1 x 2500 mm	2.7 kg	53.80
HL18-04	Copper	Carton with 4 x 2500 mm	10.0 kg	53.80

## Classic bracket sets


PG 062

made of glass fibre reinforced polypropylene, white, complete incl. affixing material


Part No.	Type	PKU	Height	Depth	Weight/PKU	€/PKU
V200-01	mini	1 set	130 mm	44 mm	60 g	8.10
V200-10	mini	10 sets	130 mm	44 mm	600 g	81.00
V210-01	la	1 set	200 mm	65 mm	80 g	8.30
V210-10	la	10 sets	200 mm	65 mm	800 g	83.00
V230-01	Ila + IIIa	1 set	200 mm	88 mm	100 g	9.50
V230-10	Ila + IIIa	10 sets	200 mm	88 mm	1 kg	95.00



mini



la



Ila + IIIa

KIRTING HEATI  
Z

## Classic extension set

PG 062

For retrofitting the Delta bracket set to the Classic bracket set



Part No.	Type	PKU	Weight/PKU	€/PKU
V2005-01	mini	1 set	30 g	1.30
V2005-10	mini	10 sets	300 g	13.00
V2105-01	la	1 set	30 g	1.30
V2105-10	la	10 sets	300 g	13.00
V2305-01	Ila + IIIa	1 set	35 g	1.30
V2305-10	Ila + IIIa	10 sets	350 g	13.00

## Skirting heating connection set 16

PG 062

For attaching the pre-insulated VarioModular pipes on the floor below the ends of the skirting heating before the floor (screed) is laid

1 set consisting of: 2 insertion brackets, 2 safety wedges, 2 folding collars



Part No.	PKU	Weight/PKU	€/set
Z101	1 set	200 g	7.00

## Installation instructions and design manual for HL

PG 112

The respectively valid installation instructions are part of our warranty and guarantee.



Part No.	PKU	€/pce.
VMONT2	1 pce. Installation instructions	--
VPLAN2	1 pce. Design manual	--

**Accessories:** see pages 36 to 45. Please be sure to allow for the necessary trimming on site when ordering materials, please also check the supply pipe lengths, the packaging units and accessories you require (connectors, internal corner pieces, valves, heating/cooling distribution manifold, pre-insulated VarioModular pipes, room thermostats ...).

PKU = packaging unit, PG = product group; all prices excluding sales tax.




## Mini Delta skirting heating system

Calculation price for 1 m

Consisting of:

- Mini heating element 35 x 78 mm
- Mini Delta cladding
- Mini Delta bracket set (bracket spacing 600-800 mm)




Part No.	Heating element	Weight	€/m
HLMINIDELTA	Copper pipe	2.3 kg/m	91.50

## Ia Delta skirting heating system

Calculation price for 1 m

Consisting of:

- Heating element 56 x 78 mm
- Ia Delta cladding
- Ia Delta bracket set (bracket spacing 600-800 mm)




Part No.	Heating element	Weight	€/m
HL1ADELTA	Copper pipe	2.8 kg/m	101.50

## Ila Delta skirting heating system

Calculation price for 1 m

Consisting of:

- Heating element 56 x 78 mm
- Ila Delta cladding
- Ila Delta bracket set (bracket spacing 600-800 mm)




Part No.	Heating element	Weight	€/m
HL2ADELTA	Copper pipe	3.0 kg/m	104.50

## Illa Delta skirting heating system


Calculation price for 1 m

Consisting of:

- 2x Heating elements 56 x 78 mm
- Illa Delta cladding
- Illa Delta bracket set (bracket spacing 600-800 mm)



Part No.	Heating element	Weight	€/m
HL3ADELTA	Copper pipe	4.0 kg/m	158.50




## Mini heating element 35 x 78 mm

PG 060

- Copper pipe  $\varnothing 18 \times 0.5$  mm, with aluminium louvres 35 x 78 mm
- Suitable for low temperature
- Optimised heat transfer
- Austrian seal of quality

Part No.	Pipe material	PKU	Weight/PKU	€/m
HLm18-01	Copper	Carton with 1 x 2500 mm	2.2 kg	47.30
HLm18-06	Copper	Carton with 6 x 2500 mm	11.0 kg	47.30




## Heating element 56 x 78 mm

PG 060

- Copper pipe  $\varnothing 18 \times 0.5$  mm, with aluminium louvres 56 x 78 mm
- Suitable for low temperature
- Optimised heat transfer
- Austrian seal of quality

Part No.	Pipe material	PKU	Weight/PKU	€/m
HL18-01	Copper	Carton with 1 x 2500 mm	2.7 kg	53.80
HL18-04	Copper	Carton with 4 x 2500 mm	10.0 kg	53.80



PKU = packaging unit, PG = product group; all prices excluding sales tax.

## Delta claddings

PG 061

Completed and packed in cartons, 1.0 mm steel sheet, galvanised, powder-coated in RAL 9001 (Cream) as standard, special colours for a min. surcharge of 30 %!

Part No.	Type	PKU	Weight/PKU	€/m
V1100	mini	1500 mm carton	2.2 kg	32.80
V1110	la	1500 mm carton	3.3 kg	35.80
V1123	Ila + IIIa	1500 mm carton	3.6 kg	37.50




## Delta bracket sets

PG 062

made of glass fibre reinforced polypropylene, white, complete incl. affixing material

Part No.	Type	PKU	Height	Depth	Weight/PKU	€/PKU
V1200-01	mini	1 set	130 mm	41 mm	50 g	6.40
V1200-10	mini	10 sets	130 mm	41 mm	500 g	64.00
V1210-01	la	1 set	200 mm	62 mm	70 g	6.70
V1210-10	la	10 sets	200 mm	62 mm	700 g	67.00
V1223-01	Ila + IIIa	1 set	200 mm	85 mm	90 g	7.70
V1223-10	Ila + IIIa	10 sets	200 mm	85 mm	900 g	77.00




## Delta inside and outside corners

PG 061

For covering the butt joints of the Delta cladding with inside and outside corners, powder-coated in RAL 9001 (Cream) as standard, special colours for a min. surcharge of 30 %!

Part No.	Type	Version	PKU	Weight/PKU	€/pce.
V1300	mini	Inside corner 90°	1 pce.	60 g	25.10
V1301	la	Inside corner 90°	1 pce.	120 g	25.10
V1302	Ila + IIIa	Inside corner 90°	1 pce.	140 g	25.10
V1350	mini	Outside corner 90°	1 pce.	90 g	25.10
V1351	la	Outside corner 90°	1 pce.	175 g	25.10
V1352	Ila + IIIa	Outside corner 90°	1 pce.	230 g	25.10



## End cap, Delta, left

PG 061

Cladding end completion element, Delta, powder-coated in RAL 9001 (Cream) as standard, special colours for a min. surcharge of 30 %!



Part No.	Type	PKU	Weight/PKU	€/pce.
V1400	mini	1 pce.	60 g	13.20
V1401	la	1 pce.	120 g	13.20
V1402	Ila + IIIa	1 pce.	160 g	13.20

## End cap, Delta, right

PG 061

Cladding end completion element, Delta, powder-coated in RAL 9001 (Cream) as standard, special colours for a min. surcharge of 30 %!



Part No.	Type	PKU	Weight/PKU	€/pce.
V1450	mini	1 pce.	60 g	13.20
V1451	la	1 pce.	120 g	13.20
V1452	Ila + IIIa	1 pce.	160 g	13.20

## Connector, Delta

PG 061

For covering the butt joints with straight continuation of Delta cladding, powder-coated in RAL 9001 (Cream) as standard, special colours for a min. surcharge of 30 %!



Part No.	Type	PKU	Weight/PKU	€/pce.
V1250	mini	1 pce.	45 g	8.80
V1251	la	1 pce.	60 g	8.80
V1252	Ila + IIIa	1 pce.	60 g	8.80

## Touch-up paint pen

PG 061

12 ml, for metal cladding RAL 9001 (Cream)



Part No.	PKU	Weight/PKU	€/pce.
V51	1 pce.	30 g	8.90

## Skirting heating connection set 16

PG 062

For attaching the pre-insulated VarioModular pipes on the floor below the ends of the skirting heating before the floor (screed) is laid

1 set consisting of: 2 insertion brackets, 2 safety wedges, 2 folding collars



Part No.	PKU	Weight/PKU	€/set
Z101	1 set	200 g	7.00

## Installation instructions and design manual for HL

PG 112

The respectively valid installation instructions are part of our warranty and guarantee.



Part No.	PKU	€/pce.
VMONT2	1 pce. Installation instructions	--
VPLAN2	1 pce. Design manual	--


Accessories: see pages 36 to 45. Please be sure to allow for the necessary trimming on site when ordering materials, please also check the supply pipe lengths, the packaging units, accessories and tools you require (connectors, internal corner, end caps, pieces, valves, round hole-breaker, heating/cooling distribution manifold, pre-insulated VarioModular pipes, room thermostats ...).

PKU = packaging unit, PG = product group; all prices excluding sales tax.




**BKH1** PG 071

Height 140 mm, width 180 mm  
 Heating element: copper pipe  $\varnothing 18 \times 0.5$  mm  
 with aluminium louvres  $56 \times 78$  mm




**BKH1 mini** PG 071

Height 90 mm, width 180 mm  
 Heating element: copper pipe  $\varnothing 18 \times 0.5$  mm  
 with aluminium louvres  $56 \times 78$  mm




**BKH2** PG 071

Height 140 mm, width 260 mm  
 Two heating elements: copper pipe  $\varnothing 18 \times 0.5$  mm  
 with aluminium louvres  $56 \times 78$  mm



**BKH2 mini** PG 071

Height 90 mm, width 260 mm  
 Two heating elements: copper pipe  $\varnothing 18 \times 0.5$  mm  
 with aluminium louvres  $56 \times 78$  mm



Trench Heating systems complete: Fully pre-assembled with aluminium side walls and end cover (black anodised), black-grey aluminium base, air baffles, heating element mounting bulkheads, interior adjustment screws for height adjustment, anodised aluminium grid (linear or rolled), site strips green, fixing brackets, heating element(s)

**Standard colours for grid**



EV 1: Natural aluminium



C 32: Light bronze



C 35: Black

**Grid types**



Linear




Rolled

**Mitre customisation 90° for trench heating system**

PG 071

Adaptation of the trench on a mitre of 90° including lattice insert.

Available in all standard colours.



Linear



Rolle

Part No.	Type	€/pce.
BKH1GE90	BKH1 / BKH1 mini	491.00
BKH2GE90	BKH2 / BKH2 mini	540.00

PKU = packaging unit, PG = product group; all prices excluding sales tax.

Length [mm]	BKH1 180		BKH1 mini 180		BKH2 260		BKH2 mini	
	Part No.	€/pce.	Part No.	€/pce.	Part No.	€/pce.	Part No.	€/pce.
1000	BKH1-1000	538.00	BKH1M-1000	500.00	BKH2-1000	661.00	BKH2M-1000	616.00
1200	BKH1-1200	600.00	BKH1M-1200	554.00	BKH2-1200	737.00	BKH2M-1200	686.00
1400	BKH1-1400	666.00	BKH1M-1400	615.00	BKH2-1400	820.00	BKH2M-1400	763.00
1600	BKH1-1600	720.00	BKH1M-1600	664.00	BKH2-1600	891.00	BKH2M-1600	828.00
1800	BKH1-1800	804.00	BKH1M-1800	739.00	BKH2-1800	991.00	BKH2M-1800	920.00
2000	BKH1-2000	859.00	BKH1M-2000	789.00	BKH2-2000	1,062.00	BKH2M-2000	986.00
2200	BKH1-2200	931.00	BKH1M-2200	853.00	BKH2-2200	1,151.00	BKH2M-2200	1,067.00
2400	BKH1-2400	986.00	BKH1M-2400	904.00	BKH2-2400	1,221.00	BKH2M-2400	1,134.00
2600	BKH1-2600	1,063.00	BKH1M-2600	971.00	BKH2-2600	1,315.00	BKH2M-2600	1,216.00
2800	BKH1-2800	1,128.00	BKH1M-2800	1,032.00	BKH2-2800	1,396.00	BKH2M-2800	1,294.00
3000	BKH1-3000	1,184.00	BKH1M-3000	1,082.00	BKH2-3000	1,468.00	BKH2M-3000	1,361.00
3200	BKH1-3200	1,257.00	BKH1M-3200	1,148.00	BKH2-3200	1,558.00	BKH2M-3200	1,441.00
3400	BKH1-3400	1,322.00	BKH1M-3400	1,209.00	BKH2-3400	1,640.00	BKH2M-3400	1,519.00
3600	BKH1-3600	1,384.00	BKH1M-3600	1,262.00	BKH2-3600	1,719.00	BKH2M-3600	1,589.00
3800	BKH1-3800	1,452.00	BKH1M-3800	1,324.00	BKH2-3800	1,802.00	BKH2M-3800	1,668.00
4000	BKH1-4000	1,517.00	BKH1M-4000	1,384.00	BKH2-4000	1,885.00	BKH2M-4000	1,745.00
4200	BKH1-4200	1,590.00	BKH1M-4200	1,451.00	BKH2-4200	1,975.00	BKH2M-4200	1,827.00
4400	BKH1-4400	1,647.00	BKH1M-4400	1,501.00	BKH2-4400	2,047.00	BKH2M-4400	1,893.00
4600	BKH1-4600	1,720.00	BKH1M-4600	1,567.00	BKH2-4600	2,137.00	BKH2M-4600	1,976.00
4800	BKH1-4800	1,776.00	BKH1M-4800	1,618.00	BKH2-4800	2,208.00	BKH2M-4800	2,043.00
5000	BKH1-5000	1,843.00	BKH1M-5000	1,680.00	BKH2-5000	2,293.00	BKH2M-5000	2,122.00
5000+	e.g. BKH1 6000 mm = 2 × BKH1-3000 = 2 × 1,184.00 € = 2,368.00 €							

Precisely tailored production is possible! For intermediate lengths the prices are calculated by using the next larger length from this list, e.g. BKH1, length = 4256 mm → price = BKH1-4400 = 1,647.00 €

Accessories: see pages 34 to 45

**Delivery time:**

Complete trench with grid within 5 to 7 working days (from the Leobersdorf factory). Please enquire regarding your delivery date!


Exception: Grid with mitred tailoring and large piece numbers 15 to 20 working days (from the Leobersdorf factory).

**Services**

We are happy to perform other services for you, such as drilling holes for pipe feed-throughs or installation of supply/return valves or other fittings. Please consult our technical team for more information.

Part No.	Type of service provided	€/pce.
V9052	Hole drilling additionally	10.00
V9053	Installation of fittings	6.40
V9054	Installation of valves	7.60
BKHLA	Air connection DN80 (NPS 3) for BKH1/BKH2	54.10

Fast delivery times for the trench, from just 5 working days!



Variotherm quality! Clearance of the interior adjustment screws ≤ 500 mm to allow access without additional measures!

**Installation instructions and design manual for BKH** PG 112

The respectively valid installation instructions are part of our warranty and guarantee.



Part No.	PKU	€/pce.
VMONT5	1 pce. Installation instructions	--
VPLAN5	1 pce. Design manual	--



## Certificates:



- EMC Guideline 2004/108/EG
- Machinery Guideline 2006/42/EG
- Low Voltage Guideline 2006/95/EG
- EN 998-1
- EN 13813
- EN 13163
- EN 14313



კლიმაკომფორტ  
თბილისი / დიდი დიღომი  
დემეტრე თავდადებულის N-26

T: [00995 595 121266](tel:00995595121266)

[info@climacomfort.co.uk](mailto:info@climacomfort.co.uk) [www.climacomfort.co.uk](http://www.climacomfort.co.uk)