


ფასები

მოქმედებს 23 იანვრიდან 2023



www.variotherm.com

VARIOTHERM



ModularWall-ClassicMW-C

for permanently screwed wall constructions with a smooth surface.

Calculation price for 1 m² consisting of:


- ModularPanels-Classic
- incl. proportionate press-fit couplings
- incl. proportionate joint adhesive
- incl. proportionate dry wall screws

Assumed amounts for the calculated price:

85 % fully fitted panels

15 % partially fitted panels (with a variable height)

Part No.	Weight	€/m ²
MW-C	20.5 kg/m ²	92.00



ModularPanels-Classic

PG 020 | Special panel PG 022


- Gypsum fibre board which has been tested for their healthy building properties 18 mm
- with pre-installed VarioModular pipe 11.6x1.5 at a grid size of 75 mm
- Marking of the screwing points on the front side



Fastening area with grain

FIXED HEIGHT


Visible side




Fastening area with grain

VARIABLE HEIGHT

Visible side



SPECIAL on request!



	Part No.	Product code	Dimension (h × w)	Height h _v	Surface	Heating/Cooling area	PKU	Weight/PKU	Pallet	€/pce.
Panel width 625 mm	V020-100	MWC-2000-625	2000 × 625 mm	-	1.25 m ²	1.25 m ²	1 pce.	25.5 kg	40 pcs.	103.40
	V020-102	MWC-1000-625	1000 × 625 mm	-	0.63 m ²	0.63 m ²	1 pce.	12.8 kg	50 pcs.	52.20
	V020-105	MWC-1500-625	1500 × 625 mm	-	0.94 m ²	0.94 m ²	1 pce.	19.2 kg	40 pcs.	77.90
	V020-107	MWC-2500-625	2500 × 625 mm	-	1.56 m ²	1.56 m ²	1 pce.	31.8 kg	40 pcs.	128.90
	V020-120	MWC-1000-625-V300	1000 × 625 mm	300 mm	0.63 m ²	0.48 m ²	1 pce.	13.0 kg	50 pcs.	48.90
	V020-124	MWC-2000-625-V400	2000 × 625 mm	400 mm	1.25 m ²	1.04 m ²	1 pce.	25.8 kg	40 pcs.	99.40
	V020-128	MWC-2000-625-V800	2000 × 625 mm	800 mm	1.25 m ²	0.79 m ²	1 pce.	26.2 kg	40 pcs.	94.00
Panel width 600 mm	V020-104	MWC-2000-312	2000 × 312 mm	-	0.62 m ²	0.62 m ²	1 pce.	12.6 kg	80 pcs.	52.20
	V020-101	MWC-2000-600	2000 × 600 mm	-	1.20 m ²	1.20 m ²	1 pce.	24.5 kg	40 pcs.	102.00
	V020-103	MWC-1000-600	1000 × 600 mm	-	0.60 m ²	0.60 m ²	1 pce.	12.2 kg	50 pcs.	51.80
	V020-106	MWC-1500-600	1500 × 600 mm	-	0.90 m ²	0.90 m ²	1 pce.	19.2 kg	40 pcs.	75.50
	V020-108	MWC-2500-600	2500 × 600 mm	-	1.50 m ²	1.50 m ²	1 pce.	31.8 kg	40 pcs.	125.10
	V020-121	MWC-1000-600-V300	1000 × 600 mm	300 mm	0.60 m ²	0.46 m ²	1 pce.	12.5 kg	40 pcs.	48.20
	V020-125	MWC-2000-600-V400	2000 × 600 mm	400 mm	1.20 m ²	1.00 m ²	1 pce.	24.8 kg	40 pcs.	97.60
	V020-129	MWC-2000-600-V800	2000 × 600 mm	800 mm	1.20 m ²	0.76 m ²	1 pce.	25.1 kg	40 pcs.	92.20

PKU = packaging unit, PG = product group; all prices excluding sales tax.


ModularBlankPanels-Classic

PG 021

to compensate for free remaining unheated areas

- Gypsum fibre board which has been tested for their healthy building properties 18 mm

Part No.	Product code	Dimension (b x h)	A [m ²]	PKU	Weight/PKU	Pallet	€/pce.
V021-100	MAC-2000-625	2000 x 625 mm	1.25	1 pce.	27.1 kg	40 pce.	28.20
V021-102	MAC-1000-625	1000 x 625 mm	0.63	1 pce.	13.6 kg	50 pce.	14.00
V021-101	MAC-2000-600	2000 x 600 mm	1.20	1 pce.	26.0 kg	40 pce.	27.00
V021-103	MAC-1000-600	1000 x 600 mm	0.60	1 pce.	13.0 kg	50 pce.	13.60



Pre-insulated 16x2 VarioModular pipe

PG 130

- Aluminium multi-layer composite pipe 16x2 (PE-RT/AL/PE)
- No oxygen diffusion whatsoever
- 70 °C, 6 bar
- Insulation: Polyethylene soft foam
- Fire resistance as per EN 13501-1: C_L-s1,d0



Part No.	Insulation thickness	PKU	Weight/PKU	€/m
V1226	6 mm	100 m roll	14.0 kg	3.42
V1227	9 mm	100 m roll	14.9 kg	3.86

Retaining clamp ø35

WG 130

for affixing the pre-insulated VarioModular pipes.




Part No.	Variant	PKU	Weight/PKU	€/100 pcs.
V2802	single	100 pcs.	2,6 kg	34.10
V2803	double	50 pcs.	2,3 kg	56.70

Duo adhesive

PG 021

for subsequent adhesion of ModularPanels. Breadth of assembly joints from 3 to 8 mm. 1 cartridge is sufficient for an approx. 7 m joint (with a breadth of 4 mm and a height of 18 mm). For each cartridge, we recommend 3 pieces of static mixing tube (F116). **Caution:** Special W048 manual applicator required!




Part No.	PKU	Weight/PKU	Carton	€/PKU
F115	1 cartridge	1 kg	10 pcs.	36.20
F116	1 static mixing tube	15 g	75 pcs.	2.50

Press-fit couplings

PG 100

TH press-fit contour, incl. galvanic isolation, visual monitoring of insertion depth, tested as per EN 21 003, suitable REMS press-fitting jaws: page 44

Part No.	Type	Press-fit contour	PKU	Weight/PKU	€/pce.
Z1320	Straight 16 x 16	TH16	1 pce.	50 g	7.02
Z1610	Straight 16 x 11.6	TH16 & TH11.6	1 pce.	45 g	7.02
Z1600	Straight 11.6 x 11.6	TH11.6	1 pce.	30 g	7.02
Z1370	Elbow 90° 16 x 16	TH16	1 pce.	50 g	8.36
Z1620	Elbow 90° 16 x 11.6	TH16 & TH11.6	1 pce.	45 g	8.36
Z1630	Elbow 90° 11.6 x 11.6	TH11.6	1 pce.	45 g	8.36



Cold shrink tape

PG 031

For optimum corrosion resistance of press-fit coupling connections as per ÖN H 5155
Roll: 50 mm x 15 m, 1 roll is sufficient for approx. 35 press-fit coupling connections (with a 50 % overlap)



Part No.	PKU	Weight/PKU	Carton	€/pce.
Z1699	1 pce.	990 g	20 pcs.	23.43

Greenline joint adhesive

PG 021

for connecting the blunt adjoining ModularPanels,
1 cartridge (310 ml) sufficient for 7 m²



Part No.	PKU	Weight/PKU	Carton	€/cartridge
F111	1 cartridge	550 g	25 cartridges	21.30

Dry wall screws 3.9 x 40 mm

PG 021

for joining ModularPanels to wooden/metal structures, optimum shank length, incl. associated bit. Consumption: 22 pcs./m²



Part No.	PKU	Weight/PKU	€/100 pcs.
F120-0250	Carton at 250 pcs.	0.6 kg	2.92
F120-1000	Carton at 1000 pcs.	2.4 kg	2.92

Adhesive tape

PG 031

As a separating layer to joint surfaces or between the panel contact points and the substructure, if required. Roll: 50 mm x 66 m



Part No.	PKU	Weight/PKU	Carton	€/pce.
V288	1 pce.	210 g	36 pce.	6.41

Duo manual applicator

PG 140

The matching manual applicator for applying the Duo adhesive.



Part No.	PKU	Weight/PKU	€/pce.
W048	1 pce.	1.4 kg	169.20

Planning and installation instructions

PG 112

The respectively valid planning and installation instructions are part of our warranty and guarantee.


Part No.	PKU	Language	€/pce.
VBOOK6	1 pce.	German	--
VBOOK6E	1 pce.	English	--



Accessories: see pages 36 to 45. Please be sure to allow for the necessary trimming on site when ordering materials (based on experience, approx. 5% is usual for ModularWall), please also check the packaging units and accessories you require (heating/cooling distribution manifold, pipe locator, room thermostats ...).

PKU = packaging unit, PG = product group; all prices excluding sales tax.

Certificates:



კლიმაკომფორტ
თბილისი დიდი დილომი
დემეტრე თავდადებულის N-26

მობ: 00995-595121265

info@climacomfort.co.uk

www.climacomfort.co.uk